

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS: ALBAUGH, INC.
Ankeny, IA 50021

EMERGENCY TELEPHONE NUMBERS:
(800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME : **BROX-M**
CHEMICAL NAME : Bromoxynil Octanoate ester
 : MCPA Ethylhexyl ester
CHEMICAL FAMILY : Benzonitrile and phenoxy herbicides
PRODUCT CODE : EPA Reg. No. 42750-52

SECTION 2 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER	OSHA PEL	ACIGH TLV
Bromoxynil Octanoate	31.7	1689-99-2	Not listed	Not listed
MCPA ethylhexyl ester	34.0	29450-45-1	10 mg/M ³	10 mg/M ³
Naphthalene	< 3.0%	91-20-3	10 ppm	10 ppm
Inert Ingredients	< 25.0%	n/a	n/a	n/a

SECTION 3 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

HEALTH HAZARDS: Moderate eye irritant.
PHYSICAL HAZARDS: May release toxic fumes if burned.
ENVIRONMENTAL HAZARDS: Toxic to wildlife and fish.

SECTION 4 - FIRST AID MEASURES

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

IF IN EYES: Hold eye open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (method): >200 F, (Pensky-Martens closed cup)

FLAMMABLE LIMITS: Unknown.

FIRE AND EXPLOSION HAZARD: May decompose in fire due to thermal decomposition, releasing irritating and toxic gases.

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

FIRE FIGHTING INSTRUCTIONS: Evacuate area and fight fire upwind from a safe distance to avoid possible hazardous fumes and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water run off.

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece and protective clothing.

HAZARDOUS COMBUSTION PRODUCTS: Hydrogen chloride, Hydrogen bromide, Nitrogen oxides, Sulfur oxides and Oxides of carbon.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.

LARGE SPILL: Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, scrub the area with detergent and water and neutralize with dilute alkaline solutions of soda ash, or lime.

Wear appropriate personal protection equipment. (See Section 8 Exposure Controls, Personal Protection.)

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

HANDLING: Use only in a well-ventilated area. Wear appropriate safety equipment when handling.

STORAGE: Store in original container with lid tightly closed. Keep away from food, feed and drinking water. Combustible liquid, store in a well ventilated, dry place away from heat and sources of ignition. Store above 35° F.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 hour TWA, ppm): Refer to Section 3.

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION - Safety goggles or full face respirator if vapors cause eye discomfort.

CLOTHING – Coveralls over a long-sleeved shirt and long pants, Chemical resistant footwear plus socks, Chemical resistant apron when mixing or loading.

GLOVES – Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber or viton.

RESPIRATOR - When handling in enclosed areas where exposure limits may be exceeded, use a respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION: Dark amber liquid
ODOR: Aromatic
SPECIFIC GRAVITY: 1.10 – 1.16 g/ml (9.20 – 9.70 #/gl)*
pH: 4.0
VAPOR PRESSURE: Unknown
VAPOR DENSITY: Unknown
WATER SOLUBILITY: Emulsifies.

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable, however may decompose if heated.
CONDITIONS TO AVOID: Avoid temperatures above (115°F, 46°C) and below 25°F (-5°C).
INCOMPATIBILITY WITH OTHER MATERIALS: Acidic and oxidizing materials, halogenated organics, brass, copper, zinc and aluminum metals.
HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride, Oxides of nitrogen, Chlorinated pyridine.
HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral LD ₅₀ (rat)	- 325 mg/kg
Dermal LD ₅₀ (rat)	- >5,000 mg/kg (male)
Inhalation LC ₅₀ (rat)	- >2.0 mg/L
Eye Irritation (rabbit)	- Mild
Skin Irritation (rabbit)	- Moderate
Sensitization (guinea pig)	- Potential sensitizer

CARCINOGEN STATUS:

OSHA - Not listed
 NTP - Not listed
 IARC - Not listed

MUTAGENIC DATA: No evidence of mutagenic effects during *in vivo* or *in vitro* studies.

ADDITIONAL DATA: Bromoxynil phenol is considered a possible developmental toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Bromoxynil and MCPA are toxic to wildlife and fish. Use with care when applying to areas frequented by wildlife or near any body of water. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when conditions favor drift from target area. Do not contaminate water when disposing of equipment washwaters. Do not contaminate water used for irrigation or domestic purposes.

FISH TOXICITY: (Bromoxynil Octanoate acid)
 96 hour LC₅₀, Rainbow trout – 0.05 ppm (highly toxic)
 96 hour LC₅₀, Bluegill – 0.05 ppm (highly toxic)

FISH TOXICITY: (MCPA acid)
 96 hour LC₅₀, Rainbow trout – 230 mg/L
 96 hour LC₅₀, Bluegill - unknown

AVIAN TOXICITY: (Bromoxynil Octanoate acid)
 Oral LD₅₀, Bobwhite quail – 145 mg/Kg
 Oral LD₅₀, Mallard duck – 2,050 mg/Kg

AVIAN TOXICITY: (MCPA acid)
 Oral LD₅₀, Bobwhite quail – 370 mg/Kg
 Oral LD₅₀, Mallard duck - unknown

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by storage or disposal.

WASTE: Pesticide wastes are toxic. Dispose of in accordance with applicable Federal, state and local laws and regulations at an approved facility.

CONTAINER: Metal Container Disposal: Do not reuse container. Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Container Disposal: Do not reuse container. Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SECTION 14 - TRANSPORT INFORMATION

DOT SHIPPING DESCRIPTION:

Containers ≤ 325 gallons –

Not regulated

Containers > 325 gallons –

UN3082, Environmentally Hazardous Substances, Liquid, N.O.S., 9, PG III, RQ (Naphthalene)

DOT HAZARD CLASS:

Class 9

IDENTIFICATION NUMBER:

UN3082

DOT PACKING GROUP:

PG III

DOT PRIMARY/SECONDARY LABEL:

CLASS 9 (> 325 gallons)

DOT PRIMARY/SECONDARY PLACARD:

CLASS 9 (> 325 gallons)

DOT EMERGENCY RESPONSE GUIDE #:

171

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY:

Naphthalene – RQ 100 lbs (approx. 325 gallons of product)

SARA TITLE III STATUS:

311/312 Hazard Categories –

Immediate

313 Toxic Chemicals –

Naphthalene

CALIFORNIA PROP 65:

Bromoxynil octanoate

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	2
	FLAMMABILITY	2
	PHYSICAL HAZARD	1
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

REVISED DATE: September, 2008

REFERENCE: Revised DOT description in Section 14