

and 40 CFR part 372.

The MSDS format adheres to the standards and regulatory requirements of the United States and may not meet regulatory requirements in other countries. DuPont 1 Page Material Safety Data Sheet ______ "DuPont" "Express" Herbicide (with "TotalSol" soluble granules) Revised 12-SEP-2006 M0000679 _____ CHEMICAL PRODUCT/COMPANY IDENTIFICATION _____ Material Identification "Express" is a registered trademark of DuPont. "DuPont", "TotalSol" are trademarks of DuPont. CAS Number : 101200-48-0 Formula : C15H17N506S CAS Name : METHYL 2-[[[((4-METHOXY-6-METHYL-1,3,5-TRIAZIN-2-YL)METHYLAMINO]CARBONYL] AMINO]SULFONYL]BENZOATE Tradenames and Synonyms DPX-L5300 "DuPont" Tribenuron Methyl 50SG Herbicide "DuPont" Harmony X-tra 2 Herbicide Company Identification MANUFACTURER/DISTRIBUTOR DuPont 1007 Market Street Wilmington, DE 19898 PHONE NUMBERS Product Information : 1-800-441-7515 (outside the U.S. 302 - 774 - 1000)Transport Emergency : CHEMTREC 1-800-424-9300(outside U.S. 703 - 527 - 3887) Medical Emergency : 1-800-441-3637 (outside the U.S. 302 - 774 - 1000_____ COMPOSITION/INFORMATION ON INGREDIENTS _____ Components Material CAS Number % *TRIBENURON METHYL 101200-48-0 50 Methyl 2-[[[((4-methoxy-6-methyl-1,3,5triazin-2-yl)methylamino]carbonyl]amino] sulfonyl]benzoate INERT INGREDIENTS 50 * Disclosure as a toxic chemical is required under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

_____ HAZARDS IDENTIFICATION _____ Emergency Overview CAUTION. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. For medical emergencies involving this product, call toll free 1-800-441-3637. Potential Health Effects Based on animal data, repeated skin contact with DuPont Express Herbicide (with TotalSol soluble granules) may cause allergic skin rashes. Carcinogenicity Information None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen. _____ FIRST AID MEASURES _____ First Aid IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: No specific intervention is indicated, as the compound is not likely to be hazardous by inhalation. Consult a physician if necessary. IF SWALLOWED: No specific intervention is indicated, as the compound is not likely to be hazardous by ingestion. Consult a physician if necessary. IF IN EYES: No specific intervention is indicated, as the compound is not likely to be hazardous to the eyes. Consult a physician if necessary. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

Like most organic powders or crystals, under severe dusting conditions, this material may form explosive mixtures in air.

Extinguishing Media

FIRE FIGHTING MEASURES

Flammable Properties

Water Spray, Foam, Dry Chemical, CO2.

Not a fire or explosion hazard.

Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment. Runoff from fire control may be a pollution hazard.

If area is exposed to fire and conditions permit, let fire burn itself out. Burning chemicals may produce by-products more toxic than the original material. If product is on fire, wear self-contained breathing apparatus and full protective equipment. Use water spray. Control runoff.

_____ ACCIDENTAL RELEASE MEASURES

Safeguards (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Emergency Response - Chemical resistant coveralls, waterproof gloves, waterproof boots and face/eye protection. If dusting occurs, use NIOSH approved respirator protection.

Initial Containment

Follow applicable Federal, State/Provincial and Local laws/ regulations.

Prevent material from entering sewers, waterways, or low areas.

Spill Clean Up

Shovel or sweep up.

M0000679

_____ HANDLING AND STORAGE _____ Handling (Personnel) USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Storage Store the product in original container only. Do not contaminate water, other pesticides, fertilizer, food, or feed in storage. Store in a cool, dry place. EXPOSURE CONTROLS/PERSONAL PROTECTION _____ Personal Protective Equipment Some of the materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on an EPA chemicalresistance category selection chart. Applicators and other handlers must wear: - Long-sleeved shirt and long pants. - Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride. - Shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: - Coveralls. - Chemical-resistant gloves made of any waterproof material. - Shoes plus socks. Exposure Guidelines Exposure Limits "DuPont" "Express" Herbicide (with "TotalSol" soluble granules) PEL (OSHA) : None Established (ACGIH) TLV : None Established : 1 mg/m3, 8 Hr. TWA AEL * (DuPont) * AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL

are in effect, such limits shall take precedence.

_____ PHYSICAL AND CHEMICAL PROPERTIES _____ Physical Data

 Vapor Pressure
 : 3.9 x 10(-10)mm Hg @ 25°C (77°F)

 Melting Point
 : 141°C (286°F)

 Solubility in Water
 : 50 mg/L @ pH=5 @ 25°C

 pH
 : 8.7-9.7 (1% aqueous solution)

 Odor : Slightly pungent Form : Solid granules, dry flowable Color : Light brown Specific Gravity : 1.5 @ 25°C (77°F) Bulk Density Bulk Density : 0.6-0.8 g/mL (Tapped) _____ STABILITY AND REACTIVITY _____ Chemical Stability Stable at normal temperatures and storage conditions. Incompatibility with Other Materials None reasonably foreseeable. Polymerization Polymerization will not occur. _____ TOXICOLOGICAL INFORMATION _____ Animal Data DuPont Express Herbicide (with TotalSol soluble granules): Oral LD50: > 5000 mg/kg in rats Skin absorption LD50: > 5000 mg/kg in rats Inhalation 4 hour LC50: > 5.0 mg/L in rats DuPont Express Herbicide (with TotalSol soluble granules) is a moderate skin sensitizer, but is not an eye or skin irritant in animals. TRIBENURON METHYL: The effects in animals from a single ingestion exposure to Tribenuron Methyl include severe weight loss and decreased food consumption. Repeated ingestion doses caused body weight loss, increased liver and thyroid/parathyroid weights, altered clinical chemical parameters, but no significant gross or microscopic treatment related effects were noted. Long-term dosing caused body weight loss, alteration in clinical chemical parameters, and testicular atrophy (considered to be biologically insignificant).

Tribenuron Methyl produced an increased incidence of mammary

DuPont Material Safety Data Sheet

(TOXICOLOGICAL INFORMATION - Continued)

tumors in female rats at dose levels also producing other significant effects. Developmental effects occurred in the rat, but only at a dose also toxic to the dam. No reproductive effects were observed in rats. Tribenuron Methyl did not produce genetic damage in bacterial or mammalian cell cultures or in animals.

```
_____
_____
```

ECOLOGICAL INFORMATION

Ecotoxicological Information

AQUATIC TOXICITY: TRIBENURON METHYL 96 hour LC50 - Rainbow trout: > 1000 mg/L. Very low to low toxicity.

AVIAN TOXICITY: TRIBENURON METHYL Acute Oral LD50 - Bobwhite Quail: > 2250 mg/kg. Acute Dietary LC50 - Bobwhite Quail: > 5620 ppm. Acute Dietary LC50 - Mallard Duck: > 5620 ppm

DISPOSAL CONSIDERATIONS

Waste Disposal

Do not contaminate water, food, or feed by disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Container Disposal

For Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. Τf burned, stay out of smoke.

For Fiber Sacks: Completely empty fiber sack by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into manufacturing or application equipment. Then dispose of sack in a sanitary landfill or by incineration if allowed by State and local authorities.

For Fiber Drums with Liners: Completely empty liner by shaking and tapping sides and bottom to loosen clinging

DuPont Material Safety Data Sheet

(DISPOSAL CONSIDERATIONS - Continued)

particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

For Bags Containing Water-Soluble Packets: Do not reuse the outer box or the resealable plastic bag. When all watersoluble packets are used, the outer packaging should be clean and may be disposed of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by open burning. If burned, stay out of smoke. If the resealable plastic bag contacts the formulated product in any way, the bag must be triple rinsed with clean water. Add the rinsate to the spray tank and dispose of the outer wrap as described above.

For Metal Containers (non aerosol): Triple rinse (or equivalent) the container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

For Paper and Plastic Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

_____ TRANSPORTATION INFORMATION

Shipping Information

DOT/IMO Proper Shipping Name : NOT REGULATED

_____ REGULATORY INFORMATION _____

U.S. Federal Regulations

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute	:	Yes
Chronic	:	No
Fire	:	No
Reactivity	:	No
Pressure	:	No

In the United States this product is regulated by the US Environmental Protection Agency under the Federal Insecticide, Fungicide and Rodenticide Act. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DuPont Material Safety Data Sheet

(REGULATORY INFORMATION - Continued)

EPA Reg. No. 352-632

OTHER INFORMATION

NFPA, NPCA-HMIS

NFPA Rating Health Flammability Reactivity	:	1 1 0
NPCA-HMIS Rating Health Flammability Reactivity	•	1 1 0

Personal Protection rating to be supplied by user depending on use conditions.

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility	for	MSDS:	DuPont Crop	Prot	cection
Address		:	Wilmington,	DE	19898
Telephone		:	1-888-638-7668		

This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained.

End of MSDS