

Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0 Revision Date: 12/03/2007

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name LAUDIS[™] HERBICIDE

MSDS Number 102000017388

EPA Registration No. 264-860

Bayer CropScience 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-866-99BAYER (1-866-992-2937)

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Tembotrione	335104-84-2	34.50
Isoxadifen-ethyl	163520-33-0	
1,2-Propanediol	57-55-6	

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed. Causes eye irritation. Avoid contact with skin,

eyes and clothing.

Physical State viscous liquid

Appearance off-white

Routes of Exposure Ingestion, Eye contact, Skin contact

Immediate Effects

Eye Moderate eye irritation. Do not get in eyes.

Skin May cause slight irritation. Avoid contact with skin and clothing.

Chronic or Delayed

Long-Term

This product or its components may have target organ effects.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.



Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to Physician

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash point > 93.4 °C / 200.1 °F

Suitable Extinguishing

Media

Water spray, Foam, Carbon dioxide (CO2), Dry powder

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to

enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus

and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate hazard area. Keep unauthorized people away. Use personal protective equipment. Avoid contact with spilled product or contaminated surfaces.

Methods for Cleaning Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder). Keep in suitable, closed containers for disposal. Clean contaminated

floors and objects thoroughly, observing environmental regulations.

Additional Advice Information regarding personal protective equipment, see section 8. Information

regarding waste disposal, see section 13.



Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross

contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove soiled clothing immediately and clean thoroughly before using again.

Wash thoroughly and put on clean clothing.

Remove Personal Protective Equipment (PPE) immediately after handling this

product. Before removing gloves clean them with soap and water. Wash

thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Train employees in safe use of the product. Follow all label instructions.

Eye/Face Protection protective eyewear

Hand Protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Tembotrione 335104-84-2 OES BCS* 0.15 mg/m3 1,2-Propanediol 57-55-6 WEEL TWA 10 mg/m3

Form of exposure Aerosol.

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"



Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance off-white

Physical State viscous liquid

pH 3.0 (10 %)

Density approx. 1.22 g/cm³ at 20 °C

SECTION 10. STABILITY AND REACTIVITY

Hazardous Thermal decomposition can lead to release of:

Decomposition Products Carbon monoxide

Nitrogen oxides (NOx) Hydrogen fluoride (HF) Hydrogen chloride (HCl)

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the technical-grade active ingredient, tembotrione, as well as, the herbicide safener, isoxadifenethyl.

Acute Oral Toxicity female rat: LD50: 1,750 mg/kg

Acute Dermal Toxicity rat: LD50: > 5,000 mg/kg

Acute Inhalation Toxicity rat: LC50: > 2.1 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

rat: LC50: > 8.4 mg/l Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Mild eye irritation.

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Tembotrione caused effects in the eye, kidney, liver, pancreas, thyroid and/or

gall bladder in chronic studies in mice, rats and dogs. In addition, hematologic



Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0

parameters were affected in the rat and dog.

Isoxadifen-ethyl caused kidney and/or liver effects in chronic dietary studies in rats and dogs.

Assessment Carcinogenicity

Tembotrione was not carcinogenic in lifetime feeding studies in rats and mice.

Isoxadifen-ethyl was not carcinogenic in oncogenicity studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Reproductive & Developmental Toxicity

REPRODUCTION:

Tembotrione was not a reproductive toxicant in a multi-generation reproduction

study in rats.

Isoxadifen-ethyl was not considered a primary reproductive toxicant. Decreased pup body weights occurred causing a delay in sexual maturation, however, these effects were considered secondary to maternal toxicity.

DEVELOPMENTAL TOXICITY:

Tembotrione was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed but were considered secondary to maternal toxicity.

Isoxadifen-ethyl was not a developmental toxicant in rats and rabbits.

NeurotoxicityTembotrione was not a neurotoxicant in acute, subchronic and developmental

neurotoxicity screening studies in rats.

Isoxadifen-ethyl did not demonstrate the potential to cause neurotoxicity in

standard toxicity studies using mice, rats, rabbits and dogs.

Mutagenicity Tembotrione was not mutagenic or genotoxic based on the overall weight of

evidence in a battery of in vitro and in vivo tests.

Isoxadifen-ethyl was not genotoxic based on the overall weight of evidence in a

battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to Fish

Oncorhynchus mykiss (rainbow trout)



MSDS Number: 102000017388 MSDS Version 2.0

Material Safety Data Sheet LAUDIS[™] HERBICIDE

LC50: 5.41 mg/l Exposure time: 96 h

Toxicity to Aquatic Plants Pseudokirchneriella subcapitata

Growth rate EC50: 15.4 mg/l Exposure time: 72 h

Acute Toxicity to Aquatic

Invertebrates

Water flea (Daphnia magna)

EC50: 33.5 mg/l Exposure time: 48 h

Environmental Precautions

Do not allow to get into surface water, drains and ground water.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal

Guidance

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label

instructions and applicable local guidelines. Never place unused product down

any indoor or outdoor drain.

Container Disposal Do not re-use empty containers. Triple rinse containers. Dispose of empty

container in a sanitary landfill or by incineration, or, if allowed by State/Provincial

and local authorities, by burning. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not Regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:

Compounds, Tree or Weedkilling, N.O.I., other than poison, having a density of 20 LBS or greater per cubic foot

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 264-860

US Federal Regulations

TSCA list

Isoxadifen-ethyl 163520-33-0 1.2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.



Material Safety Data Sheet LAUDIS™ HERBICIDE

MSDS Number: 102000017388 MSDS Version 2.0

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

Canadian Regulations

Canadian Domestic Substance List

1,2-Propanediol 57-55-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

1,2-Propanediol 57-55-6

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated Section 1, 2, 3 & 8

Revision Date: 12/03/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.