Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0 Revision Date: 04/08/2010

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name	Parity Herbicide
MSDS Number	10200000828a
EPA Registration No.	264-666-55467

Tenkoz Inc. 100 North Point Center East Alpharetta, GA 30022 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-424-9300 (24 hours/day)

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview	Warning! Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling.
Physical State	liquid
Odor	aromatic
Appearance	yellowish
Exposure routes	Eye contact, Skin contact, Inhalation, Ingestion
Immediate Effects Eye	Severe eye irritation Do not get in eyes.
Skin	Severe skin irritation Do not get on skin or clothing.
Ingestion	Harmful if swallowed. Do not take internally.
Inhalation	Do not breathe vapours or spray mist.
Chronic or Delayed Long-Term	This product or its components may have target organ effects. This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.
Potential Environmental Effect	Toxic to fish and aquatic organisms.

Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Component Name Fenoxaprop-P-ethyl Mefenpyr-diethyl Naphthalene		<u>CAS-No.</u> 71283-80-2 135590-91-9 91-20-3	Average % by Weight 11.53 3.39 7.37
SECTION 4. FIRST AID MEA	SURES	_	
General	When possible, have the proposition control center or doction		
Еуе	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.		
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.		
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.		
Notes to physician Signs and Symptoms	Local Irritation		
	Systemic: Gastrointestinal disturbance	9	
Hazards	Risk of pneumonia.		
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.		

SECTION 5. FIRE FIGHTING MEASURES

Flash point	108 °C / 226 °F
Explosiveness	Not explosive

Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0

Fire and Explosion Hazards	In the event of fire the following may be released: Carbon monoxide (CO) nitrogen oxides (NOx) Sulphur oxides Hydrogen chloride (HCI)
Suitable extinguishing media	Water spray, Alcohol-resistant foam, Carbon dioxide (CO2), Dry powder
Fire Fighting Instructions	Evacuate personnel to safe areas. Avoid contact with spilled product or contaminated surfaces. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Keep unauthorized people away. Evacuate and isolate spill area. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.
Methods for cleaning up	Dike area to prevent runoff. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Contaminated soil may have to be removed and disposed. Clean contaminated floors and objects thoroughly, observing environmental regulations.
Additional advice	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13. Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact vegetation.

SECTION 7. HANDLING AND STORAGE

Handling procedures	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
	Keep away from heat and sources of ignition.
Storing Procedures	Store in original container. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.
	Protect from freezing.

Material Safety Data Sheet

Paritv	Herbicide
i anty	

Naphthalene

MSDS Number: 10200000828a MSDS Version 3.0

10 ppm

15 ppm

10 ppm

15 ppm

10 ppm 10 ppm

15 ppm

10 ppm

Keep away from food, drink and animal feedingstuffs.

Work/Hygienic Procedures	Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
	Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
Min/Max Storage Temperatures	Recommended minimum transport/storage temperature: 0 °C / 32 °F

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

91-20-3

General Protection	Follow all labe	Follow all label instructions. Train employees in safe use of the product.		
	instructions for		for cleaning/maintaining PPE. If ne ergent and warm/tepid water. Kee	
Eye/Face Protection	Wear goggles	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).		
Hand protection	Chemical resi	istant nitrile rubber glo	oves	
Body Protection	Wear long-sleeved shirt and long pants and shoes plus socks.			
Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.			
Exposure Limits				
Fenoxaprop-P-ethyl 2-Methylpropan-1-ol	71283-80-2 78-83-1	OES BCS* ACGIH NIOSH OSHA Z1 OSHA Z1A US CA OEL TX ESL TX ESL	TWA TWA REL PEL TWA TWA PEL ST ESL AN ESL	2.6 mg/m3 50 ppm 50 ppm 100 ppm 50 ppm 50 ppm 500 ppm 50 ppm
	<u> </u>			

TWA

STEL

REL

PEL

TWA

STEL

TWA PEL

STEL

ACGIH

ACGIH

NIOSH

NIOSH

OSHA Z1

OSHA Z1A

OSHA Z1A

US CA OEL

Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0

US CA OEL	STEL	15 ppm
TX ESL	ST ESL	440 ug/m3
TX ESL	AN ESL	44 ug/m3
OES BCS*	TWA	10 ppm

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	yellowish
Physical State	liquid
Odor	aromatic
рН	6.7 (1 %) emulsion in water
Density	1.03 g/cm ³ at 20 °C
Water solubility	emulsifiable
Decomposition temperature	no data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	freezing Heat, flames and sparks.
Incompatibility	no data available
Hazardous Decomposition Products	no data available
Hazardous reactions	No hazardous reactions known.
Chemical Stability	Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed in the formulated product. The non-acute information pertains to the technical-grade active ingredient, fenoxaprop-p ethyl, as well as. the herbicide safener, mefenpyr-diethyl.

Acute oral toxicity rat: LD50: 3,254 mg/kg Test conducted with a similar formulation.

Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0

Acute dermal toxicity	rat: LD50: > 5,000 mg/kg Test conducted with a similar formulation.	
Acute inhalation toxicity	rat: LC50: > 5.4 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.	
	rat: LC50: > 21.6 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.	
Skin irritation	rabbit: Severe skin irritation	
Eye irritation	rabbit: Severe eye irritation	
Sensitisation	guinea pig: Non-sensitizing. Test conducted with a similar formulation.	
Chronic toxicity	Fenoxaprop-p-ethyl caused liver and/or adrenal effects in long-term dietary studies in rats, mice and dogs.	
	Mefenpyr-diethyl affected the liver and/or red blood cells in chronic dietary studies in rats and dogs.	

Assessment Carcinogenicity

Fenoxaprop-p-ethyl caused liver and adrenal gland tumors at the highest dose tested in mice. However, there was no evidence of carcinogenicity in a combined chronic/carcinogenicity study in rats treated with fenoxaprop-p-ethyl.

Mefenpry-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH		
Naphthalene	91-20-3	Group A4
NTP		
Naphthalene	91-20-3	
IARC		
Naphthalene	91-20-3	Overall evaluation: 2B
OSHA		

None.

Reproductive toxicity

REPRODUCTION

Fenoxaprop-p-ethyl was not a reproductive toxicant in a two-generation study in rats.

Mefenpyr-diethyl was not a reproductive toxicant at non-maternally toxic dose levels in a two-generation study in rats.

DEVELOPMENTAL TOXICITY

Fenoxaprop-p-ethyl is not a primary developmental toxicant in rats and rabbits. Developmental effects were observed in both species but were considered secondary to maternal toxicity.

Material Safety Data Sheet

MSDS Number: 10200000828a MSDS Version 3.0

Mefenpyr-diethyl was not a primary developmental toxicant in rats and rabbits. Developmental effects were observed in rabbits but were considered secondary to maternal toxicity.

Neurotoxicity Fenoxaprop-p-ethyl neurotoxicity studies are not required at this time.

Mefenpyr-diethyl neurotoxicity studies are not required at this time.

Mutagenicity Fenoxaprop-p-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish	Rainbow trout (Oncorhynchus mykiss) LC50: 1.9 mg/l Exposure time: 96 h Test conducted with a similar formulation.
	Lepomis macrochirus (Bluegill sunfish) LC50: 1.9 mg/l Exposure time: 96 h
Toxicity to Aquatic Plants	Pseudokirchneriella subcapitata EC50: 1.47 mg/l Exposure time: 72 h Test conducted with a similar formulation.
Acute Toxicity to Aquatic Invertebrates	Water flea (Daphnia magna) EC50: 4.2 mg/l Exposure time: 48 h Test conducted with a similar formulation.
Environmental precautions	Drift or runoff from treated areas may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

Material Safety Data Sheet

Parity Herbicide

MSDS Number: 10200000828a MSDS Version 3.0

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance	Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.
Container Disposal	Triple rinse containers. Puncture container to avoid re-use. Do not re-use empty containers. Follow advice on product label and/or leaflet.

SECTION 14. TRANSPORT INFORMATION

DOT / TDG CLASSIFICATION: NON-BULK:: Not regulated for road or rail

BULK: (Packages larger than 119 gallons) DOT RQ, UN3082, Environmentally Hazardous Substances, Liquid, N.O.S. (Naphthalene), 9, PG III RQ for Naphthalene is 100 LBS and is reached at 158 gallons of product

TDG: Not regulated for road or rail

FREIGHT CLASSIFICATION:

Compounds Tree or Weedkilling, N.O.I., other than poison; Having a density of greater than 20 LBS. per cubic foot.

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 264-666-55467

US Federal Regulations

TSCA list Naphthalene 91-20-3 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) 91-20-3 Naphthalene SARA Title III - Section 302 - Notification and Information None. SARA Title III - Section 313 - Toxic Chemical Release Reporting Naphthalene 0.1% 91-20-3 **US States Regulatory Reporting** CA Prop65 This product contains a chemical known to the State of California to cause cancer. Naphthalene 91-20-3

This product does not contain any substances known to the State of California to cause reproductive harm.

Tenkoz Inc.		
Material Safety Data Sheet Parity Herbicide		MSDS Number: 10200000828a MSDS Version 3.0
US State Right-To-Know Ingredients Naphthalene None.	91-20-3	CA, CT, IL, MN, NJ, PA, RI
Canadian Regulations Canadian Domestic Substance List Naphthalene	91-20-3	
Environmental		

100 lbs

CERCLA Naphthalene 91-20-3 Clean Water Section 307 Priority Pollutants None. Safe Drinking Water Act Maximum Contaminant Levels None. International Regulations European Inventory of Existing Commercial Substances (EINECS) Naphthalene 91-20-3

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):
Health - 2Others - none0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes.

Revision Date: 04/08/2010

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product name is a trademark of Tenkoz Inc.